



self closing tapware and bubblers

AUTOMATIC SHUT-OFF
REDUCE WATER WASTE
IMPROVE HYGIENE
VANDAL RESISTANT

- Spring Action Series
- Time Flow Series

spring action series

Australian made self closing tapware and bubblers provide proven performance and reliability.

Tested in the toughest of Australian conditions ranging from school play grounds, universities, municipal and other general public areas. With Enware you can rely on durable tapware that helps reduce water wastage.

ENWARE'S PROVEN SPRING ACTION RANGE FEATURES:

- Drinking fountains and bubblers have integral adjustable flow regulators to control the flow of water from the outlet
- Unique valve design incorporating stainless steel components for an effective, low maintenance mechanism
- All wearing components replaceable for a longer serviceable life
- Vandal-resistant internal locking ring secures the handle – can only be released by key
- Highest quality construction in dezincification resistant brass
- Supplied complete with handles, buttons and outlets
- Choice of attractive finishes in standard heavy duty bright chrome, plus satin chrome and powder coated options



Enware Tapware is manufactured to the exacting WaterMark standard AS/NZS3718 and AS4020.

water efficiency

Enware's Spring Action tapware is supplied standard with a WELS rated 4 star water efficiency rating. Also available in WELS 3 and 6 star water efficiency ratings, request when ordering.

Note: WELS does not apply to drinking fountains. Enware's Spring Action drinking fountains feature integral flow control to allow in-situ adjustment to suit the installation conditions.

TAPWARE



options

HANDLE TYPE:

- Cam Action - **C**
- Lever - **L**
- Button - **B**

FINISHES:

- Bright Chrome supplied standard
- Satin chrome or powder coating available on request, additional costs apply

COLOUR INDICATORS:

- Cold supplied on all single controls
– specify Warm or Hot if required
- Hot and Cold supplied on all tapware sets
– specify Warm when ordering if required

**B**

technical information

| | |
|---|--------------|
| Minimum–Maximum Working Pressure (AS/NZS 3500)* | 30–500kPa |
| Maximum Static Pressure | 1200kPa Max* |
| Maximum Working Temperature** | 85°C |

*Enware products are to be installed in accordance with AS/NZS3500. **Heated Water Supply AS/NZS 3500.4: For all sanitary fixtures used primarily for personal hygiene purposes are to deliver heated water not exceeding: **a) 45°C** for early childhood centres, primary and secondary schools and nursing homes or similar facilities for young, aged care, sick people with disabilities **b) 50°C** in all other buildings.


RELATED PRODUCTS

Time Flow Tapware — Page 82
 Electronic Touch Button and Sensor Tapware — Page 239
 Knee Operated and Foot Operated Tapware — Page 159
 Basins — Page 330
 Outlets and Showers — Page 207
 Water Chillers — Page 282
 Thermostatic Mixing Valves — Page 269

Type 100 Wall Mounted Fountain FI 15mm

BUB219B


Button Action



Type 100 Wall Mounted Fountain FI 15mm

BUB219C


Cam Action



Type 100 Wall Mounted Fountain FI 15mm

BUB219L


Lever Action (Victoria)



Type 63 Bubbler FI 15mm

BUB224B


Button Action



Type 63 Bubbler FI 15mm

BUB224C


Cam Action



Type 63 Bubbler FI 15mm

BUB224L


Lever Action



Type 45 Upright Fountain FI 15mm — Rubber Guard


BUB234RC

Cam Action

**Type 43 Fountain Valve Outlet FI 15mm**


BUB203C

Cam Action

**Type 44 Wall Mounted Fountain FI 15mm**


BUB204B

Button Action

**Type 44 Wall Mounted Fountain FI 15mm**


BUB204C

Cam Action

**Type 44 Wall Mounted Fountain FI 15mm**


BUB204L

Lever Action

**Type 44/1 Wall Mounted Fountain & Bracket FI 15mm Connector**

BUB205B

Button Action




B

Type 44/1 Wall Mounted Fountain & Bracket FI 15mm Connector

BUB205C


Cam Action



Type 44/1 Wall Mounted Fountain & Bracket FI 15mm Connector

BUB205L


Lever Action



Type 45 Upright Fountain FI 15mm

BUB206B


Button Action



Type 45 Upright Fountain FI 15mm

BUB206C


Cam Action



Type 45 Upright Fountain FI 15mm

BUB206L


Lever Action



Adult Size Pedestal Fountain with Stainless Steel Bowl

BUB215B


Button Action



Adult Size Pedestal Fountain with Stainless Steel Bowl


BUB215C

Cam Action

**Adult Size Pedestal Fountain with Stainless Steel Bowl**


BUB215L

Lever Action

**Junior Size Pedestal Fountain with Stainless Steel Bowl**


BUB216C

Cam Action

**Junior Size Pedestal Fountain with Stainless Steel Bowl**


BUB216L

Lever Action

**Wall Fountain**


BUB218B

Button Action with Stainless Steel Bowl

**Wall Fountain**

BUB218C


Cam Action with Stainless Steel Bowl



Wall Fountain

BUB218L

Lever Action with Stainless Steel Bowl




Street Furniture Type 45 Bubbler

BUB232

Lever Action Free Spin Guard Brass

BUB233


Lever Action Free Spin Guard Chrome



Type 45 Upright Fountain FI 15mm — No Guard

BUB234C


Cam Action



Type 45 Upright Fountain FI 15mm — Type 63 Guard

BUB243


Cam Action



Oasis Bubbler

BUB271


Cup Filler



Oasis Bubbler

BUB272


Recess Assembly



Oasis Bubbler

BUB273

Outlet


**Heavy Duty Glass Filler**

BUB281

Western Australian Model — 9/16" Inlet

BUB281C

To suit Waterware Chillers — 7/16" Inlet


**Type 61 Bubbler (Spare Part)**

BUB290

Outlet (Button Action)


BUB290B

Outlet (Button Action) 15mm Male Inlet

**Type 62 Glass/Bottle Filler with Lever Handle (Spare Part)**

BUB292


Complete — Hob Mounting



Type 46 Spring Action Stop Tap F&F 15mm

BUB207B


Button Action



Type 46 Spring Action Stop Tap F&F 15mm

BUB207C


Cam Action



Type 46 Spring Action Stop Tap F&F 15mm

BUB207L


Lever Action



Type 47 Spring Action Bib Tap FI 15mm

BUB208B


Button Action



Type 47 Spring Action Bib Tap FI 15mm

BUB208C


Cam Action



Type 47 Spring Action Bib Tap FI 15mm

BUB208L


Lever Action



Type 48 Spring Action Pillar Tap 15mm


BUB209B

Button Action

**Type 48 Spring Action Pillar Tap 15mm**


BUB209C

Cam Action

**Type 48 Spring Action Pillar Tap 15mm**


BUB209L

Lever Action

**Spring Action Recess Adaptor**


BUB211C

Cam Action

**Spring Action Basin Set With SP001 Spout (100mm Reach)**


BUB222C

Cam Action

**Type 48 Spring Action Pillar Tap 15mm Ablution 8lpm**

BUB223C


Cam Action



Type 48 Spring Action Pillar Tap 15mm Ablution 8lpm

BUB223L


Lever Action



Type 48 Spring Action Pillar Tap 15mm

BUB223S


Cam Action (NSW School Specification
— Plain Outlet)



Spring Action Hose Tap 15mm MI

BUB228B


Button Action



Spring Action Hose Tap 15mm MI

BUB228C


Cam Action



Spring Action Hose Tap 15mm MI

BUB228L


Lever Action



Spring Action Hose Tap 20mm MI

BUB241B


Button Action



Spring Action Hose Tap 20mm MI


BUB241C

Cam Action

**Spring Action Hose Tap 20mm MI**


BUB241L

Lever Action

**Foot Operated Top Assembly**


BUB264

Spring Action

**Foot Operated Stop Tap 90 Degree FI 15mm Loose Nut Connector**


BUB265

Spring Action

**Foot Operated Stop Tap 45 Degree FI 15mm Loose Nut Connector**


BUB266

Spring Action

**Foot Operated Stop Tap 90 Degree F&F 15mm**

BUB268

Spring Action




B

self closing tapware and bubblers

Knee Operated Spring Action Valve F&F 15mm

BUB268L


Straight Lever



Knee Operated Spring Action Valve F&M 15mm

BUB268R


Right Angle



Foot Operated Stop Tap 45 Degree F&F 15mm

BUB269


Spring Action



Foot Operated Basin Kit

HFS775


Spring Action



Type 4 Fountain Valve FI 15mm

BUB201C


Cam Action



Type 3 Fountain Outlet MI 15mm

BUB202


Standard



Type 49 Regulated Fountain Valve FI 15mm


BUB210B

Button Action — Suits BUB218B

**Type 49 Regulated Fountain Valve FI 15mm**


BUB210C

Cam Action — Suits BUB218C


**Type 49 Regulated Fountain Valve FI 15mm**

BUB210L

Lever Action — Suits BUB218L


**Type 31 Cobra Head Fountain Outlet MI 15mm**

BUB217

**Type 49 Regulated Fountain Valve Right Angle To Suit Pedestal Fountain**


BUB242B

Button Action — Suits BUB215B

**Type 49 Regulated Fountain Valve Right Angle To Suit Pedestal Fountain**

BUB242C


Cam Action — Suits BUB215C



Type 49 Regulated Fountain Valve Right Angle To Suit Pedestal Fountain


BUB242L

Lever Action — Suits BUB215L



Spring Action Bubbler Basin / Sink Top Assembly

BUB391



Bubbler Outlet with Rubber Guard

BUB700


35mm Tail

BUB701

63mm Tail

BUB702


22mm Tail



Bubbler Dome

BUB221C


Cam Action



Bubbler Dome

BUB221L

Lever/Button Action



Bubbler Regulator

BUB225


Complete — M&F 15mm

BUB256

Cap Chrome Plated


BUB257

Screw




Aluminium Wall Mounting Bracket Only

BUB226


**Stainless Steel Bowl Only**

BUB227

**Spring Action Stuffing Box Assembly**


BUB260B

Button Action

**Spring Action Stuffing Box Assembly**


BUB260C

Cam Action

**Spring Action Stuffing Box Assembly**


BUB260L

Lever Action

**Spring Action Top Assembly**

BUB261


Cam Action



Spring Action Top Assembly

BUB262


Lever Action



Spring Action Top Assembly

BUB263

Button Action



Type 62 Valve Assembly


BUB283



Spring Action Service Kit

BUB289

Current Kit (Ball Bearing) Suits Products from 1997 to Present



Spare Part — Knee Op Rod for BUB268L and BUB268R Models

BUB301


Type 61 (BUB290) Spare Parts

| | |
|--------|-------------------------|
| BUB287 | Spanner |
| BUB288 | Inlet Screen and Washer |
| BUB294 | Cartridge |
| BUB295 | Retaining Nut |
| BUB296 | Push Button |
| BUB297 | Hex Cover Nut |
| BUB298 | Spout Assembly Kit |





Glass Filler Spout Only 15mm To Suit BUB281

BUB282

**Type 62 Handle Kit**

BUB285



time flow series

The Delabie range of time flow tapware and showers provide a practical solution to help save water, energy and improve hygiene in public and frequently used amenities.

Water wastage can account for a large percentage of consumption. The Delabie time flow tapware features automatic shut-off which helps with minimising water wastage and associated heating costs whilst still delivering a practical and comfortable service to the user.

FEATURES:

- Predetermined flow rate minimises excessive water usage
- Automatic shut-off ensures the tap is turned off after use – helps to further reduce water wastage
- No-touch shut-off also helps to improve hand hygiene
- Vandal resistant design
- Available in single temperature or mixer style variations
- Chrome plated solid brass construction.



Enware Tapware is manufactured to the exacting WaterMark standard AS/NZS3718 and AS4020.



DELABIE

tempostop — single temperature

- Push button activation
- Lever options on some models, ideal for accessible and child care applications
- Tapware available in 3, 7 or 15 second approximate flow times
- Showers are also available in 30 seconds approximate flow times



temposoft — soft touch button, single temperature

- Soft push activation
- Single control washbasin tap or wall mounted bib tap
- 7 second approximate flow time



tempomix — push button operation, adjustable temperature

- Push button activation
- Simply turn the activation button to adjust the temperature
- Basin tap is 15 seconds approximate flow time
- Showers are 30 seconds approximate flow time



Product details in this guide are indicative only and may change without notice.

water efficiency

Enware's Time Flow tapware is supplied standard with a WELS rated 4 star water efficiency rating. Also available in WELS 3 and 6 star water efficiency ratings, request when ordering. Enware's showers are supplied standard with a WELS 3 Star (8lpm) water efficiency rating.

TAPWARE



SHOWERS



B

options

HANDLE TYPE:

- Button, some tempostop models available with a Lever handle – refer to product descriptions

FINISHES:

- Bright Chrome supplied standard

COLOUR INDICATORS:

- Blue, Red and Yellow supplied on most models for installer to add
- TempoMix buttons are pre marked with Red and Blue to indicate rotation direction to adjust temperature

technical information

| | |
|--|------------------------------------|
| Recommended Working Pressure | 250-350kPa for optimum performance |
| Minimum-Maximum Working Pressure Range | 50-500kPa* |
| Water Temperature** | Maximum 50°C |

*Enware products are to be installed in accordance with AS/NZS3500. **Heated Water Supply AS/NZS 3500.4: For all sanitary fixtures used primarily for personal hygiene purposes are to deliver heated water not exceeding: a) 45°C for early childhood centres, primary and secondary schools and nursing homes or similar facilities for young, aged care, sick people with disabilities b) 50°C in all other buildings.

NOTE: Enware-Delabie time flow tapware uses mechanical technology and flow times may vary under different flow and pressure conditions. Timings options provided are indicative only.

tempostop shower – identification of cartridge types for servicing

Flow adjustable shower cartridge has a hex (allen key) screw in the centre of the button (pictured).

Order Code:
TFC753149

Non-adjustable shower cartridge. No thread or hex in centre of button.

Order Code:
TFC753749




RELATED PRODUCTS

Spring Action Tapware — Page 64
Electronic Touch Button and Sensor Tapware — Page 239
Knee Operated and Foot Operated Tapware — Page 159
Basins — Page 330
Outlets and Showers — Page 282

Enware-Delabie TempoSoft Time Flow Basin Tap

TFC740510


7 Seconds — 6 Star WELS Rating



Enware-Delabie TempoSoft Time Flow Bib Tap

TFC741510

7 Seconds — 6 Star WELS Rating



Enware-Delabie TempoStop Time Flow Basin Pillar Tap — Push Button

TFC745


15 Seconds

TFC745P

7 Seconds

TFC745P3


3 Seconds



Enware-Delabie TempoStop Time Flow Pillar Tap With Extended Tail

TFC743P

Push Button — 15 Seconds



Enware-Delabie TempoStop Time Flow Basin Pillar Tap — Lever Action

TFC745L


7 Seconds

TFC745L15

15 Seconds

TFC745L3


3 Seconds



Enware-Delabie Time Flow Tempo Mix Basin Mixer


TFC795100

Timed Flow 15 Seconds Push Button




Enware-Delabie TempoStop Time Flow Bib Tap — Push Button

| | |
|----------|------------|
| TFC746 | 15 Seconds |
| TFC746P | 7 Seconds |
| TFC746P3 | 3 Seconds |




Enware-Delabie TempoStop TempoStop Time Flow Bib Tap — Lever Action

| | |
|-----------|------------|
| TFC746410 | 7 Seconds |
| TFC746L15 | 15 seconds |
| TFC746L3 | 3 Seconds |




Enware-Delabie Time Flow Recess Adaptor

| | |
|---------|-----------------------------|
| TFC794R | 15 Seconds — Recess Adaptor |
|---------|-----------------------------|



Knee Operated Autotap Basin Kit

| | |
|--------|------------------------|
| HFS780 | Time Flow — 15 Seconds |
|--------|------------------------|




Enware-Delabie Knee Operated Right Angle — Time Flow Valve

| | |
|--------|------------------------|
| TFC734 | Time Flow — 15 Seconds |
|--------|------------------------|



Enware-Delabie Knee Operated Straight Time Flow Valve


| | |
|--------|------------------------|
| TFC735 | Time Flow — 15 Seconds |
|--------|------------------------|



Enware-Delabie TempoStop Time Flow Shower Valve 15 — Exposed

TFC747


Push Button Approx 15 Seconds Flow
— M1/2" Inlet/Outlet



Enware-Delabie TempoStop Shower Valve — Recessed

TFC749128


Push Button Approx. 30 Seconds Flow
— F1/2" inlet/outlet



Enware-Delabie TempoMix Shower Mixer — Recessed

TFC790925


Push Button with Adjustable Temperature
— Approx. 30 Seconds Flow



Enware-Delabie TempoMix Shower Module — Stainless Steel Panel

TFC790110


Push Button with Adjustable Temperature
— Approx. 30 Seconds Flow



Enware-Delabie TempoMix Shower Module — Anodised Aluminium Panel

TFC790310


Push Button with Adjustable Temperature
— Approx. 30 Seconds Flow



One Way Stainless Steel Shower Column

ECS100


Time Flow — 15 Seconds



One Way Stainless Steel Shower + One Foot Wash Column

ECS101


Time Flow — 15 Seconds



Two Way 180 Degree Stainless Steel Shower Column

ECS200


Time Flow - 15 Seconds



Two Way 90 Degree Stainless Steel Shower Column

ECS200A


Time Flow — 15 Seconds



Two Way 180 Degree Stainless Steel Shower + One Foot Wash Column

ECS201


Time Flow — 15 Seconds



Two Way 90 Degree Stainless Steel Shower + One Foot Wash Column

ECS201A

Time Flow — 15 Seconds




B

self closing tapware and bubblers

Three Way Stainless Steel Shower Column

ECS300


Time Flow — 15 Seconds



Three Way Stainless Steel Shower + One Foot Wash Column

ECS301


Time Flow — 15 Seconds



Four Way Stainless Steel Shower Column

ECS400


Time Flow — 15 Seconds



Four Way Stainless Steel Shower + One Foot Wash Column

ECS401


Time Flow — 15 Seconds



Enware-Delabie Time Flow Retrofit Adaptor

TFC794

7 Seconds — Suits Pillar/Bib Tap



Enware-Delabie Soft-Touch Time Flow Cartridge Only

TFC743741

7 Seconds — Soft Touch Suits
TFC740/741



Enware-Delabie Time Flow Chamber — Replacement

| | |
|--------|----------------------------|
| TFC003 | Chamber Green — 3 Seconds |
| TFC007 | Chamber Black — 7 Seconds |
| TFC015 | Chamber White — 15 Seconds |



Enware-Delabie TempoStop Time Flow Pillar Lever Top Assembly Kit

| | |
|----------|---|
| TFC35956 | Includes 70mm Lever handle, spring, washer and 15 second cartridge — Suits TFC745L/746L |
|----------|---|



Enware-Delabie TempoSoft Button Kit

| | |
|--------|---|
| TFC621 | 7 Seconds — Soft Touch Suits TFC740/741 |
|--------|---|



Enware-Delabie TempoStop Cartridge — 7 Seconds

| | |
|-----------|-----------|
| TFC743005 | 7 Seconds |
|-----------|-----------|



Enware-Delabie TempoMix Basin Cartridge — 15 Seconds

| | |
|-----------|----------------------|
| TFC743795 | Suits TFC795100 only |
|-----------|----------------------|

Enware-Delabie TempoMix Basin Service Kit — 15 Seconds

| | |
|-----------|----------------------|
| TFC753795 | Suits TFC795100 only |
|-----------|----------------------|



Enware-Delabie TempoStop Time Flow Cartridge and Button To Suit Type TFC745/746/747 Push Button Models

TFC790

15 Seconds



Enware-Delabie TempoStop Time Flow Cartridge Only Replacement suits Type TFC734/735/745L/746L (not button models)

TFC791

15 Seconds Cartridge Only (For 7 or 3 seconds request when ordering)



Enware-Delabie Pedal Valve Service Kit

TFC795

Suits TFC736 and TFC739



Enware-Delabie TempoStop Service Kit — Suits TFC734/735/745/746

TFC753005

7 Seconds

TFC797

15 Seconds



Enware-Delabie Column Shower Replacement Hose

ECS499

Stainless Steel 450mm with 90 Degree Elbow Connectors

Spare Parts - Shower Face Plate to Suit TFC749128

TFC649S

Face Plate Only



Enware-Delabie TempoStop Shower Cartridge
— 30 Seconds

TFC743428

Suits TFC749128 only



Enware-Delabie TempoMix Shower Cartridge
— 30 Seconds

TFC743790

Suits TFC790925



Enware-Delabie TempoStop Shower Service Kit
— 30 Seconds (Suits TFC749 and TFC749128)

TFC753149

Adjustable Flow

TFC753749

Non Adjustable Flow



TFC753149



TFC753749

Enware-Delabie TempoMix Shower Service Kit
— 30 Seconds

TFC753790


Suits TFC790725 only



Enware-Delabie Time Flow Cartridge
— TempoStop 30 second

TFC792

Cartridge and Button Replacement
to suit type TFC749 — 30 Seconds



Enware-Delabie Time Flow Cartridge Only
— TempoStop 30 second

TFC793

Cartridge Only Replacement to suit
Tempostop Shower — 30 Seconds

