



# outlets, shower roses and flow control devices

---

QUALITY, PERFORMANCE  
AND DURABILITY

WATER EFFICIENCY

CUSTOM SIZING

- Outlets, Spouts and Accessories
- Showers and Rails
- Miscellaneous Products

# outlets, spouts and accessories


Superior quality outlets made right here in Australia; designed to provide superior performance in every application.

Crafted from DR (Dezincification Resistant) Brass, with a wide range of attachments to meet your application needs.

Enware's extensive range of outlets is also enhanced by our ability to tailor make spouts to meet your specific requirements.

## ENWARE'S OUTLETS ARE AVAILABLE IN TWO DISTINCT STYLES:

- Streamline Cache Range – smooth line and concealed aerator
- Classic Range – traditional style with a M22 thread for a wide range of attachments



Enware Tapware is manufactured to the exacting WaterMark standard AS/NZS3718 and AS4020.

## water efficiency

Enware's outlets can be combined with Enware tapware for 6, 5, 4 or 3 WELS ratings — please refer to our individual tapware sections.

Choose from WELS 6 star (4lpm), 5 star (6lpm), 4 star (7lpm) or 3 star (8lpm) water efficiency ratings. 3 Star is supplied standard if not specified at time of order.

Non-flow controlled is available for applications where WELS is not required such as Baths and Laundry Tubs.



## technical information

Inlet Connection	15mm (½") BSB
Maximum Working Pressure*	500kPa*

\*Enware products are to be installed in accordance with AS/NZS3500.

**Note: Heated Water Supply AS/NZS 3500.4:** For all sanitary fixtures used primarily for personal hygiene purposes are to deliver heated water not exceeding: **a) 45°C** for early childhood centres, primary and secondary schools and nursing homes or similar facilities for young, aged care, sick people with disabilities **b) 50°C** in all other buildings.

## spout options — cache and classic range

Enware’s Australian made outlets are designed to provide superior performance with options to suit every application. Our local manufacturing means spouts can be customised to suit your specific requirements. Pressure compensating flow control technology options are available, when combined with Enware tapware we can meet 6, 5, 4 and 3 Star WELS ratings for water efficiency.

All spouts have a ½" BSP (15mm) inlet as standard. Our suggested hole size is 22mm.

- 16 gauge brass construction
- Bespoke options available – contact your Enware representative
- Dual o-ring seal

## cache range

Streamline design with concealed aerator or laminar flow.

### ATTACHMENTS CACHE OUTLET RANGE

#### AERATOR

Order Code:  
SPC301



#### LAMINAR FLOW

Order Code:  
SPC301LF



#### HOB MOUNTED SPOUT BASE

Order Code:  
SPC190



#### WALL MOUNTED SPOUT BASE

Order Code:  
SPC192




F

### CACHE BENCH MOUNTED — BASIN, BATH & SINK

#### CURVED BASIN SPOUT

Order Code:


	A	B	C
SPC001 FIXED OUTLET	115	100	175
SPC002 SWIVEL OUTLET	115	120	195



#### CACHE HOB SQUARE SWIVEL SPOUT

Order Code:


	A	B	C
SPC040	155	145	260
SPC045*	*	*	*



#### CACHE HOB STANDARD SWIVEL SPOUT

Order Code:


	A	B	C
SPC010	180	100	185
SPC011	230	145	225
SPC012	300	165	245
SPC015*	*	*	*



#### CACHE HOB ANGULAR SWIVEL SPOUT

Order Code:


	A	B	C
SPC030	150	145	260
SPC035*	*	*	*



#### CACHE HOB CURVED SWIVEL SPOUT

Order Code:

	A	B	C
SPC020	150	150	265
SPC021	150	235	350
SPC026	200	125	260
SPC027*	*	*	*



\*Indicates custom size products. There are limitations and additional costs, so please check with your Enware representative.

Note: Measurements are in (mm). All measurements are provided as a guideline, whilst all care has been taken some measurements may vary slightly. Due to ongoing product development Enware reserves the right to alter product specifications without notice.


outlets, shower roses and flow control

## CACHE WALL MOUNTED — BASIN, BATH & SINK

### CACHE WALL STANDARD SWIVEL SPOUT

Order Code:


	A	B	C
SPC110	220	95	175
SPC111	270	135	215
SPC112	340	160	235
SPC115*	*	*	*



### CACHE WALL CURVED SWIVEL SPOUT

Order Code:


	A	B	C
SPC120	190	145	255
SPC121	190	225	340
SPC126	240	115	260
SPC125*	190	*	*
SPC128*	250	*	*



### CACHE WALL FIXED SWIVEL SPOUT

Order Code:


	A
SPC201	155
SPC202	180
SPC203	205
SPC205	*



### CACHE WALL SQUARE SWIVEL SPOUT

Order Code:


	A	B	C
SPC140	190	135	250
SPC145*	*	*	*



### CACHE WALL ANGULAR SWIVEL SPOUT

Order Code:

	A	B	C
SPC130	195	135	255
SPC135*	*	*	*



\*Indicates custom size products. There are limitations and additional costs, so please check with your Enware representative.

Note: Measurements are in (mm). All measurements are provided as a guideline, whilst all care has been taken some measurements may vary slightly. Due to ongoing product development Enware reserves the right to alter product specifications without notice.

## classic range

Traditional style with a M22 thread for a wide range of attachments.

### ATTACHMENTS CLASSIC OUTLET RANGE

#### AERATOR (NO.1)

Order Code:  
SP301



#### ANTI-VANDAL AERATOR (NO.7)

Order Code:  
SP303



#### FIXED SPRAY (NO.5)

Order Code:  
SP325



#### ABLUTION ATTACHMENT (NO.8)

Order Code:  
SP329



#### TUBE NOZZLE (NO.2)

Order Code:  
SP310



#### ADJUSTABLE SPRAY ROSE SET (NO.6)

Order Code:  
SP326



#### HOSE ADAPTOR (NO.3)

Order Code:  
SP320 15mm BSB  
SP321 20mm BSB



#### HOB MOUNTED SPOUT BASE

Order Code:  
SP190



#### WALL MOUNTED SPOUT BASE

Order Code:  
SP192




**CLASSIC BENCH MOUNTED — BASIN, BATH & SINK**

**HOB CURVED BASIN SPOUT**

Order Code:


	A	B	C
SP001 FIXED OUTLET	100	80	170
SP002 SWIVEL OUTLET	100	100	195
SP005 SWIVEL OUTLET	150	115	235



**HOB SQUARE SWIVEL SPOUT**

Order Code:


	A	B	C
SP040	150	130	255
SP045*	*	*	*



**HOB STANDARD SWIVEL SPOUT**

Order Code:


	A	B	C
SP010	180	110	180
SP011	230	150	220
SP012	300	170	240
SP015*	*	*	*



**HOB ANGULAR SWIVEL SPOUT**

Order Code:


	A	B	C
SP030	155	135	255
SP035*	*	*	*



**HOB CURVED SWIVEL SPOUT**

Order Code:

	A	B	C
SP020	150	140	260
SP021	150	225	345
SP026	200	125	260
SP025*	150	*	*
SP027*	200	*	*



\*Indicates custom size products. There are limitations and additional costs, so please check with your Enware representative.


Note: Measurements are in (mm). All measurements are provided as a guideline, whilst all care has been taken some measurements may vary slightly. Due to ongoing product development Enware reserves the right to alter product specifications without notice.

**CLASSIC WALL MOUNTED — BASIN, BATH & SINK**

**WALL STANDARD SWIVEL SPOUT**

Order Code:


	A	B	C
SP110	215	110	180
SP111	265	150	220
SP112	335	170	240
SP115*	*	*	*



**WALL ANGULAR SWIVEL SPOUT**

Order Code:


	A	B	C
SP130	190	135	255
SP135	*	*	*



**WALL CURVED SWIVEL SPOUT**

Order Code:


	A	B	C
SP120	185	140	260
SP121	185	225	345
SP126	235	125	265
SP125*	185	*	*
SP127*	235	*	*



**WALL FIXED BATH SPOUT**

Order Code:


	A	B
SP201	150	65
SP202	175	65
SP203	200	65
SP205	*	*



**WALL SQUARE SWIVEL SPOUT**

Order Code:

	A	B	C
SP140	185	130	255
SP145	*	*	*



\*Indicates custom size products. There are limitations and additional costs, so please check with your Enware representative.

Note: Measurements are in (mm). All measurements are provided as a guideline, whilst all care has been taken some measurements may vary slightly. Due to ongoing product development Enware reserves the right to alter product specifications without notice.

**enware tapware to match every enware outlet**

**CS SERIES**  
Page 2

**LEVA 80 SERIES**  
Page 94

**LEVA 150 SERIES**  
Page 94

**TRADITIONAL SERIES**  
Page 37

**DETENTION SERIES**  
Page 48

**SCHOOL PATTERN**  
Page 25

**PLAZA SERIES**  
Page 14




F

outlets, shower roses and flow control


### Classic Hob Mounted Curved Basin Spout

- SP001 Fixed Outlet — 100mm reach
- SP002 Swivel Outlet — 100mm reach
- SP005 Fixed Outlet — 150mm reach




### Cache Hob Mounted Curved Basin Spout

- SPC001 Fixed Outlet — 115mm reach
- SPC002 Swivel Outlet — 115mm reach




### Low Line Basin Spout

- SP003 Fixed Outlet — 95mm reach




### Detention Bath Spout Anti Vandal Aerator 5lpm

DET660B




### Classic Hob Mounted Standard Sink Spout

- SP010 Swivel Outlet — 180mm reach
- SP010R Restricted Swivel — 180mm reach
- SP011 Swivel Outlet — 230mm reach
- SP011R Restricted Swivel — 230mm reach
- SP012 Swivel Outlet — 300mm reach




### Cache Hob Mounted Standard Sink Spout

- SPC010 Swivel Outlet — 180mm reach
- SPC011 Swivel Outlet — 230mm reach
- SPC011R Restricted Swivel Outlet — 230mm reach
- SPC012 Swivel Outlet — 300mm reach




**Classic Hob Mounted Curved Sink Spout**

- SP020 Swivel Outlet — 150mm reach
- SP020R Restricted Swivel — 150mm reach
- SP021 Swivel Outlet — 150mm reach — High Version
- SP026 Swivel Outlet — 200mm reach
- SP026R Restricted Swivel — 200mm reach
- SP028 200mm reach — Franklin's Special




**Cache Hob Mounted Curved Sink Spout**

- SPC020 Swivel Outlet — 150mm reach
- SPC020R Restricted Swivel Outlet — 150mm reach
- SPC021 Swivel Outlet — 150mm reach — High Version
- SPC026 Swivel Outlet — 200mm reach
- SPC026R Restricted Swivel Outlet — 200mm reach




**Classic Hob Mounted Angular Spout**

- SP030 Swivel Outlet — 150mm reach
- SP030R Restricted Swivel — 150mm reach




**Cache Hob Mounted Angular Spout**

- SPC030 Swivel Outlet — 155mm reach
- SPC030R Restricted Swivel Outlet — 155mm reach




**Classic Hob Mounted Square Spout**

- SP040 Swivel Outlet — 150mm reach
- SP040R Fixed Outlet — 150mm reach



**Cache Hob Mounted Square Spout**

- SPC040 Swivel Outlet — 150mm reach
- SPC040R Restricted Swivel Outlet — 150mm reach




F

outlets, shower roses and flow control


### Classic Wall Mounted Standard Sink Spout

SP110	Swivel Outlet — 215mm reach
SP110R	Restricted Swivel — 215mm reach
SP111	Swivel Outlet — 265mm reach
SP111R	Restricted Swivel — 265mm reach
SP112	Swivel Outlet — 335mm reach




### Cache Wall Mounted Standard Sink Spout

SPC110	Swivel Outlet — 220mm reach
SPC110R	Restricted Swivel Outlet — 220mm reach
SPC111	Swivel Outlet — 270mm reach
SPC111R	Restricted Swivel Outlet — 270mm reach
SPC112	Swivel Outlet — 340mm reach




### Classic Wall Mounted Curved Spout

SP120	Swivel Outlet — 185mm reach
SP120R	Restricted Swivel — 185mm reach
SP121	Swivel Outlet — 185mm reach — High Version
SP126	Swivel Outlet — 235mm reach
SP126R	Restricted Swivel — 235mm reach




### Cache Wall Mounted Curved Spout

SPC120	Swivel Outlet — 190mm reach
SPC120R	Restricted Swivel Outlet — 190mm reach
SPC121	Swivel Outlet — 190mm reach — High Version
SPC126	Swivel Outlet — 240mm reach
SPC126R	Restricted Swivel Outlet — 240mm reach




### Wall Swivel Spout 200mm DPW VP105W

SP128




### Classic Wall Mounted Angular Spout

SP130	Swivel Outlet — 190mm reach
SP130R	Restricted Swivel — 190mm reach




**Cache Wall Mounted Angular Spout**

SPC130 Swivel Outlet — 195mm reach  
 SPC130R Restricted Swivel Outlet — 195mm reach




**Classic Wall Mounted Square Spout**

SP140 Swivel Outlet — 185mm reach  
 SP140R Restricted Swivel — 185mm reach




**Cache Wall Mounted Square Spout**

SPC140 Swivel Outlet — 190mm reach  
 SPC140R Restricted Swivel Outlet — 190mm reach




**Classic Wall Mounted Fixed Bath Spout**

SP201 150mm reach  
 SP202 175mm reach  
 SP203 200mm reach  
 SP204 250mm reach




**Cache Wall Mounted Fixed Bath Spout**

SPC201 Fixed Outlet — 155mm reach  
 SPC202 Fixed Outlet — 180mm reach  
 SPC203 Fixed Outlet — 205mm reach



**Telescopic Laundry Arm**

SP251 390mm to 630mm reach




F

outlets, shower roses and flow control

## Wall Mounted Heavy Pattern Folding Laundry Arm

SP256


580mm reach



## Hob Mounted Heavy Pattern Folding Laundry Arm

SP257


550mm reach



## Hob Mounted Spout Base — Classic Outlet Range

SP190


Hob Base Only — 15mm FI



## Wall Mounted Spout Base — Classic Outlet Range

SP192

Wall Base Only — 15mm FI



## Aerator

SP301


M22x1 F/Male (No.1) Standard

SP301LF

M22x1 F/Male (No.1) Laminar Flow 7.6lpm

SP302

M24x1 Male





## Anti-Vandal Aerator

SP303

(No.7)


SP304

Key To Suit (No.7)




**Ablution Attachment (No.8)**

SP329



**Aerator Insert**

- MK058 6lpm
- MK059 8lpm



**Flow Regulator Spray Pattern Insert**

- MK057 3.5lpm



**M&K Laminar Flow Insert Only**

MK079



**Flow Regulator & Housing**

- MK060 M22 No Aerator
- MK061 M24 No Aerator

**Non Return Check Valve**

- MK070 8Lpm
- MK071 RV003 Regulated




## Flow Regulator & Aerator

MK050	M22 (Female)
MK051	M24 (Male)




## Tube Nozzle

SP310	M22x1 F/Male 15mm O/D (No.2)
SP311	M22x1 F/Male 10mm O/D (No.2)



## Hose Adaptor (No.3)

SP319	10mm BSP
SP320	M22x1 F/Male x 15mm BSP
SP321	M22x1 F/Male x 20mm BSP




## M24 x M22 M&M Nipple

SP322




## Fixed Spray (No.5)

SP325




## Vacuum Siphon (No.4)

SP327 M22x1 F/Male



**Ablution Outlet**

- MIS527 90 Degree (Male)
- MIS528 60 Degree (Male)
- MIS529 90 Degree Female 60mm Flange
- MIS530 60 Degree Female 60mm Flange



**Hob Mounted Spout Base — Cache Outlet Range**

- SPC190 Hob Base Only — 15mm FI



**Wall Mounted Spout Base — Cache Outlet Range**

- SPC192 Wall Base Only — 15mm FI



**Cache Insert**

- SPC301 Aerator 8Lpm
- SPC301LF Laminar Flow 8Lpm



**Flow Regulator 1/2 Inch M&F**

- MK036 Brass 8lpm
- MK037 Chrome 8lpm
- MK038 Brass 4lpm
- MK039 Chrome 4lpm



**Flow Regulator**

- MK040 Type E (Specify Flowrate)




F

outlets, shower roses and flow control

### Flow Regulator In Housing

MK054

DWSA 1/2 Inch M&F (Standard 7lpm.  
Options: 2 thru to 15lpm)



### Hose Vacuum Breaker

ZB004

25mm Brass

ZB005


25mm Chrome Plated

ZB007

20mm Brass

ZB008

20mm Chrome Plated




### Dual Check Valve 15mm M&F

ZBD001

Brass


ZBD002

Chrome Plated



### Dual Check Valve Aerated Adaptor Chrome Plated

ZBD005



# showers and rails

Enware's provides an extensive range of water efficient showers with anti vandal options, hand held showers and trigger activated shampoo sprays.

A complimentary range of grab rails including hand held shower configurations for accessible applications are also available.



F



**WaterMark**  
AS/NZS 3718 WMKA 1583  
SAI Global

Enware Tapware is manufactured to the exacting WaterMark standard AS/NZS3718 and AS4020.

## water efficiency



Enware's fixed showers and shampoo sprays are supplied with WELS 3 Star (8lpm) water efficiency rating as standard.

Hand held showers are 3 Star (8.5lpm) water efficiency rating.

## technical information

Inlet Connection	Female 1/2" BSB (15mm)
Minimum-Maximum Working Pressure (AS/NZS 3500)*	15–500kPa
Maximum Water Temperature**	70°C

\*Enware products are to be installed in accordance with AS/NZS3500. \*\*Heated Water Supply AS/NZS 3500.4: For all sanitary fixtures used primarily for personal hygiene purposes are to deliver heated water not exceeding: **a) 45°C** for early childhood centres, primary and secondary schools and nursing homes or similar facilities for young, aged care, sick people with disabilities **b) 50°C** in all other buildings.

## hand held showers

Chrome plated or White shower head

- Single spray pattern hand held shower
- Single hand, adjustable shower head holder
  - Bright chrome wall inlet with integrated hook
  - Heavy duty chrome plated 900mm wall bar
  - Polished stainless steel heavy duty grab rails
    - Straight 900mm
    - T-Rails centred, left or right hand configurations
- 1.5m long hose
  - Smooth silver supplied with Chrome shower head
  - White hose supplied with White Shower head
- Chrome plated wall connection with rail options

**A** White shower configuration shown here on a stainless steel grab rail with the Pressalit Care single hand adjustable shower head holder. Refer to SGR product codes. SGR023 pictured.

**B** Chrome shower configuration shown here on the heavy duty wall bar with single hand adjustable shower head holder. Refer to SP273 product codes. SP273C pictured.

**C** Chrome shower configuration shown here with the integral water inlet and the adjustable shower head holder. Refer to SP272 product codes. SP272C pictured



## anti-ligature shower heads

For heavy-duty anti-ligature shower head and shower modules please refer to the Detention Tapware section on Page 57.



## delabie shower heads

High resistance to vandalism

- Solid brass shower head
- Scale resistant shower nozzle
- Bright chrome finish

For shower heads refer to TFC product codes in this section.

For shower modules with time flow operation, please refer to the Time Flow Tapware section on Page 86.



F

## enware tapware to match every enware outlet

### CS SERIES

Page 2



### LEVA 80 SERIES

Page 94



### LEVA 150 SERIES

Page 94



### TRADITIONAL SERIES

Page 37



### DETENTION SERIES

Page 48



### SCHOOL PATTERN

Page 25



### PLAZA SERIES

Page 14



### SPRING ACTION

Page 64



### TIME FLOW SERIES

Page 82



### ELECTRONIC CONTROLS

Page 48



## stainless steel grab rails

Enware's extensive range of stainless grabrail options, are suitable for commercial amenities, hospitals, hotels, sporting facilities and public areas.

- Polished stainless steel heavy duty 32mm grab rail
- No obstruction to the passage of the hand along the grab rail
- Concealed wall flange fixing

### STRAIGHT RAILS


Available in 3 lengths for vertical or horizontal installation.

Order Code:

**SGR013 - 900mm**

**SGR012 - 600mm**

**SGR010 - 300mm**



### INVERTED T-RAILS

Available in 3 configurations with the vertical portion either centered, left or right offset.

Order Code:




**SGR017T - Centred T**

Order Code:

**SGR018TL - Left Hand T Grab Rail**

Order Code:

**SGR019TR - Right Hand T Grab Rail**



## accessible toilet rails


AS1428.1-2009 Amdt 1-2010 compliant rails for accessible toilets.

### LEFT HAND ACCESSIBLE WC GRAB RAIL SET

- 1x 1040mm x 600mm L shape grabrail
- 1x 300mm straight grabrail
- Supplied as a set for left hand configuration

Order Code:

**SGR016L**




### RIGHT HAND ACCESSIBLE WC GRAB RAIL SET

- 1x 1040mm x 600mm L shape grabrail
- 1x 300mm straight grabrail
- Supplied as a set for right hand configuration

Order Code:

**SGR016R - Right Hand Accessible WC Grab Rail Set**




Product details in this guide are indicative only and may change without notice.

**ACCESSIBLE WC ANGLED CORNER GRAB RAIL SET — STAINLESS STEEL**

- No obstruction to the passage of the hand along the grab rail
- Flexible design allows installation for both right and left hand layouts

**ANGLED CORNER GRAB RAIL**

Order Code:  
**SGR014 - Stainless Steel**




**ACCESSIBLE WC ANGLED CORNER GRAB RAIL SET — WHITE POWDER COATED STAINLESS STEEL**

- No obstruction to the passage of the hand along the grab rail
- Flexible design allows installation for both right and left hand layouts
- White powder coating for a less institutional feel

**ANGLED CORNER GRAB RAIL**

Order Code:  
**SGR015 - White Powder Coating**



F


outlets, shower roses and flow control

## ACCESSIBLE AMBULANT TOILET RAILS

- Suitable for AS1428.1 ambulant toilet applications
- Concealed wall fixings
- Supplied with two rails for both left and right hand

Order Code:

**SGR016AMB - L Shaped Ambulant Grab Rail Set (2 Rails)**



### RELATED PRODUCTS


Accessible Care Kits — Page 350

Toilets — Page 341

Flushing systems — Page 251

**Anti Splash Ball Swivel Joint Shower 80mm Rose**


SP261



**Deluxe Ball Swivel Joint Shower Rose**

SP262


EP-R19000



**All Directional Shower**


SP263

Standard




**Enware-Delabie Round Vandal Resistant Shower Head**

TFC709000




**Enware-Delabie Tonic Jet Vandal Resistant Shower Head**

TFC712000



**School Pattern Shower Outlet 8lpm**

VP310




F

outlets, shower roses and flow control


### Detention Conical Shower Rose

DET660 8lpm  
 DET660E 8lpm with Extended Angle




### Detention Shower Ceiling Mounted

DET664 7lpm  
 DET665 7lpm Extended To Suit Wall Thickness up to 200mm




### White Hand Held Shower With Chrome Plated Wall Hook

SP272 Includes White Hose & Chrome Plated Wall Hook




### Chrome Hand Held Shower With Chrome Plated Wall Hook

SP272C Includes Smooth Chrome Hose & Chrome Plated Wall Hook



### White Hand Held Shower and Heavy Duty 900mm Chrome Plated Wall Bar


SP273 Includes Elbow & White Adjustable Shower Head Holder



NOTE: Dimensional drawings for product illustrating purpose only. For set-out compliance refer to AS1428.1-2009 and 2010 amendments Design for Access and Mobility.

### Chrome Hand Held Shower and Heavy Duty 900mm Chrome Plated Wall Bar


SP273C Includes Elbow & Chrome Adjustable Shower Head Holder



NOTE: Dimensional drawings for product illustrating purpose only. For set-out compliance refer to AS1428.1-2009 and 2010 amendments Design for Access and Mobility.


**White Hand Held Shower and Hose with 900mm Stainless Steel Grab Rail**

SGR023 Includes Elbow & White Adjustable Shower Head Holder




**Chrome Hand Held Shower and Smooth Hose with 900mm Stainless Steel Grab Rail**

SGR023C Includes Elbow & Chrome Plated Adjustable Shower Head Holder




**Chrome Hand Held Shower and Smooth Hose with Centre Inverted T Stainless Steel Grab Rail**

SGR027CT Centre T Grab Rail, Elbow & Chrome Plated Adjustable Shower Head Holder




**White Hand Held Shower and Hose with Centre Inverted T Stainless Steel Grab Rail**

SGR027T Centre T Grab Rail, Elbow & White Adjustable Shower Head Holder




**Chrome Hand Held Shower and Smooth Hose with Left Hand Inverted T Stainless Steel Grab Rail**

SGR028CTL Left Hand T Grab Rail, Elbow & Chrome Plated Adjustable Shower Head Holder



**White Hand Held Shower and Hose with Left Hand Inverted T Stainless Steel Grab Rail**

SGR028TL Left Hand T Grab Rail, Elbow & White Adjustable Shower Head Holder




F

outlets, shower roses and flow control

## Chrome Hand Held Shower and Smooth Hose with Right Hand Inverted T Stainless Steel Grab Rail

SGR029CTR

Right Hand T Grab Rail, Elbow & Chrome Plated Adjustable Shower Head Holder




NOTE: Dimensional drawings for product illustrating purposes only. For set-out compliance refer to AS1428.1:2009 and 2010 amendments. Design for Access and Mobility.



## White Hand Held Shower and Hose with Right Hand Inverted T Stainless Steel Grab Rail

SGR029TR

Right Hand T Grab Rail, Elbow & White Plated Adjustable Shower Head Holder



NOTE: Dimensional drawings for product illustrating purposes only. For set-out compliance refer to AS1428.1:2009 and 2010 amendments. Design for Access and Mobility.



## Grab Rail Adjustable Hand Shower Holder

EP-RT600000

White



## Chrome Shower Slider Replacement

SP276




## Hand Held Shower and Hose — Replacement Kit for Grab Rail

SP274

White Shower and Hose — Less the slider/holder


SP274C

Chrome Shower and Smooth Chrome Hose — Less the slider/holder



## Shower Wall Elbow with Dual Check

SP267




**Wall Elbow for Hand Held Shower Models**

SP286 Suits SP271/273, SGR023 and Sets with 361/363/364 numerics

**Hand Held Shower — Head Only**

SP277 White  
 SP277C Chrome




**Wall Hook with Inlet for Hand Held Shower**

SP278 Wall Hook Only




**Shower Hose — Replacement**

SP280 1.5m White  
 SP281 2.0m White  
 SP282 1.5m Smooth Chrome  
 SP283 2.0m Smooth Chrome




**Shampoo Spray & 1.5m Hose — 15mm FI**

SP270 Wall Mounted  
 SP271 Bench Mounted



**Shampoo Spray Head**

SP290 Standard




F

outlets, shower roses and flow control


### Straight Grab Rail — Stainless Steel

SGR010	300mm x 32mm Concealed Fixings
SGR012	600mm x 32mm Concealed Fixings
SGR013	900mm x 32mm Concealed Fixings




### Inverted T-Shape Centred Grab Rail Only — Stainless Steel

SGR017T




### Inverted T-Shape Left Hand Grab Rail Only — Stainless Steel

SGR018TL




### Inverted T-Shape Right Hand Grab Rail Only — Stainless Steel

SGR019TR




### Ambulant Toilet Grab Rail Set — L-Shaped Stainless Steel

SGR016AMB 2 Rails Supplied for Left and Right Hand




### Accessible Toilet Grab Rail Set — Left Hand L-Shaped and Straight Rail

SGR016L



**Accessible Toilet Grab Rail Set — Right Hand L-Shaped and Straight Rail**



SGR016R



**Accessible Toilet Angled Corner Grab Rail — Stainless Steel**

SGR014


679mm x 958mm x 1078mm  
Concealed Fixings



**Accessible Toilet Angled Corner Grab Rail — White Powder Coated Stainless Steel**

SGR015

652mm x 961mm x 1072mm  
Concealed Fixings



F

# miscellaneous products

This section contains miscellaneous products mostly from Enware's tapware range. In many cases these are products that are used across multiple ranges.



**Body Extender**

MIS500	1/4 Turn Ceramic Disc 28mm
MIS501	Jumper Valve 12mm Brass

**Cleaner Sink Grate**

MIS505

**15mm BSP Tail Brass**

MIS511	50mm
MIS512	87mm
MIS513	103mm
MIS514	300mm
MIS515	98mm

**Flanged Backnut Brass**

MIS517 15mm BSP

**Flexible Connector**

MIS531	15BSP FI X 150mm
MIS532	15BSP FI X 300mm
MIS533	15BSP FI X 500mm
MIS534	15BSP FI X 1.0m
MIS535	15BSP FI X 1.5m
MIS536	15BSP FI X 2.0m

**Trouble Dome 3/8 Inch**

MIS540C	Chrome
MIS540SC	Satin Chrome



F

### Basin Tee Only

MIS542



### Adjustable Sink Tee Only

MIS543



### Basin Body Complete With Nuts

MIS544



### Ceramic Disc Service Kit Raymor

MIS583



### Ceramic Disc Service Kit Fluhs

MIS584



### Mini Regulator Valve 15mm M&F

MIS589



**Vandal Proof Key Only (Suit VP / IN / CS / Plaza)**

MIS590



**Allen Key**

MIS573 (1/2 Inch) VP310 Etc.

MIS592 (3/32 Inch) Spouts Etc.

MIS594 (1/16 Inch) SP329



**Button Only (CS / Lab / VP / IN)**

MIS595 Specify Cold, Warm or Hot



**Push Button Screw & Washer — For Lever Handle**

MIS596 Standard

MIS596SC Satin Chrome



**Lever Button Insert & Screw**

MIS597



**Ceramic Disc Service Kit Enware**

MIS605 1/4 Turn

MIS606 3/4 Turn Adjustable Depth



F

outlets, shower roses and flow control

## Ceramic Disc Service Kit 2l

MIS610	1/4 Turn 1996 - 2001
MIS610H	1/2 Turn Ceramic Disc



---

## Screw Operated 15mm Cistern Tap With Cover

VP358	Jumper Valve — Chrome Plated
VP358RW	Jumper Valve — Chrome Plated with RW Rain Water Button

